



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/834,658	04/16/2001	Sofia Yeung	50277-1010	3688

7590 08/27/2003
DITTHAVONG & CARLSON, P.C.
10507 Braddock Rd., Suite A
Fairfax, VA 22032

EXAMINER

FLEURANTIN, JEAN B

ART UNIT	PAPER NUMBER
----------	--------------

2172

DATE MAILED: 08/27/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/834,658

Applicant(s)

YEUNG ET AL.

Examiner

Jean B Fleurantin

Art Unit

2172

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 17 June 2003.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 39-59 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 39-59 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on _____ is: a) ☐ approved b) ☐ disapproved by the Examiner.
- If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. §§ 119 and 120

- 13) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449) Paper No(s) _____.
- 4) ☐ Interview Summary (PTO-413) Paper No(s). _____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other:

DETAILED ACTION

Response to Amendment

1. Claims 54-59 are added.

Claims 39-59 are remained pending for examination.

Response to Applicant' Remarks

2. Applicant's arguments filed on 10/23/2002 with respect to claims 39-59 are fully considered but they are not persuasive. Examiner discusses the limitations of claims 54-59 in the following rejection.

In response to applicant's argument on pages 6 and 7, that Choy reference does not disclose the limitations of claims 39-53. It is respectfully submitted that the Choy reference discloses the claimed invention as follows: a method of exporting data from a table into a dump file (thus, each partition may be packaged as a separate data module that contains its own access methods, such a self-contained data module may be used as a transportable database unit; similarly to the description provided by the specification on page 1, lines 9-13)(see col. 12, lines 42-47), said table being subdivided into number of partitions (thus, a database table is partitioned according to the content of its records; which is equivalent to said table being subdivided into number of partitions)(see col. 7, lines 12-15), as claimed said method comprises the steps of selecting a fewer number of partitions of the table, than the number of partitions of the table, (thus, the selection predicates that were applied to the global indexes must be rechecked later, i.e., when the records retrieved from the fast path must be re-certified using the original search predicates, like other database objects the coarse global index table can itself be partitioned if necessary; which is readable as a fewer number of partitions of the table, than the number of

Art Unit: 2172

partitions of the table)(see col. 9, lines 20-25). Further, in column 11, lines 24-29, Coy teaches if there is a selection predicate on the partition key that can be evaluated into partition identifiers then evaluate that predicate, if there is an applicable and selective coarse global index available then obtain the qualified partition identifiers from that coarse global index, sort the partition identifiers, remove the duplicates and merge with the partition identifiers based on partition key; and

for each of the selected partitions of the table, storing in the dump file data contained in said each of the selected partitions (thus, each partition may be packaged as a separate data module that contains its own access methods, such a self-contained data module may be used as a transportable database unit, for instance on a massively distributed database system; which is readable as each of the selected partitions of the table, storing in the dump file data contained in said each of the selected partitions)(see col. 12, lines 44-47), wherein data contained in a partition of the table, that is not selected is not stored in the dump file (thus, if the partition identifier list becomes too long, i.e., it is no longer selective, the database management system may stop using the global index and release S-Locks if any are held and proceed to broadcast the query instead, if the query is not partition selective, then let the the partition identifier be logically the list of all partitions send the query to each identified partition for evaluation; which is readable as data contained in a partition of the table, that is not selected is not stored in the dump file)(see col. 11, lines 32-35).

Further in column 5, lines 44-49, Choy teaches the multi-tiered indexing for partitioned, data wherein the local indexes are maintained for the individual partitions such that each partition may be packaged as a separate data module that contains its own access methods, thus

Art Unit: 2172

providing a removable/transportable database unit; similarly to the description provided by the specification on page 1, lines 9-13).

Although the claims are interpreted in light of the specification, the limitations from the specification are not read into the claims. See *In re Van Genus*, 988 F.D 1181, 26 USPQ2d 1057 (Fed. Cir. 1993).

Claim Rejections - 35 U.S.C. § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 39-53 are rejected under 35 U.S.C. 102(b) as being anticipated by US Patent

Number 5,551,027 issued to Choy et al. ("Choy").

As per claim 39, Choy teaches a method of exporting data from a table into a dump file (thus, each partition may be packaged as a separate data module that contains its own access methods, such a self-contained data module may be used as a transportable database unit; similarly to the description provided by the specification on page 1, lines 9-13)(see col. 12, lines 42-47), said table being subdivided into number of partitions (thus, a database table is partitioned according to the content of its records; which is equivalent to said table being subdivided into number of partitions)(see col. 7, lines 12-15), as claimed said method comprises the steps of selecting a fewer number of partitions of the table, than the number of partitions of the table, (thus, the selection predicates that were applied to the global indexes must be rechecked later, i.e., when the records retrieved from the fast path must be re-certified using the original search

Art Unit: 2172

predicates, like other database objects the coarse global index table can itself be partitioned if necessary; which is readable as a fewer number of partitions of the table, than the number of partitions of the table)(see col. 9, lines 20-25). Further, in column 11, lines 24-29, Coy teaches if there is a selection predicate on the partition key that can be evaluated into partition identifiers then evaluate that predicate, if there is an applicable and selective coarse global index available then obtain the qualified partition identifiers from that coarse global index, sort the partition identifiers, remove the duplicates and merge with the partition identifiers based on partition key; and

for each of the selected partitions of the table, storing in the dump file data contained in said each of the selected partitions (thus, each partition may be packaged as a separate data module that contains its own access methods, such a self-contained data module may be used as a transportable database unit, for instance on a massively distributed database system; which is readable as each of the selected partitions of the table, storing in the dump file data contained in said each of the selected partitions)(see col. 12, lines 44-47), wherein data contained in a partition of the table, that is not selected is not stored in the dump file (thus, if the partition identifier list becomes too long, it is no longer selective, the database management system may stop using the global index and release S-Locks if any are held and proceed to broadcast the query instead, if the query is not partition selective, then let the partition identifier be logically the list of all partitions send the query to each identified partition for evaluation; which is readable as data contained in a partition of the table, that is not selected is not stored in the dump file)(see col. 11, lines 32-35).

Art Unit: 2172

As per claims 40 and 48, Choy teaches a method as claimed, wherein the fewer number of partitions is exactly one (thus, one or more partitions of a table may be stored in a single site, which is equivalent to wherein the fewer number of partitions is exactly one)(see col. 2, lines 5-6).

As per claims 41 and 42, Choy teaches a computer readable medium bearing instructions arranged, upon execution, as claimed the steps to cause one or more processors to perform (thus, the motivations for horizontally partitioning a database object are to partition data among multiple nodes or processors within a single database management system so as to facilitate parallel processing of a database management system query; which is equivalent to one or more processors to perform)(see col. 7, lines 21-24).

As per claim 43, Choy teaches a method of importing data from a dump file into a relational database table (thus, each partition may be packaged as a separate data module that contains its own access methods, such a self-contained data module may be used as a transportable database unit; which is equivalent to wherein importing data from a dump file into a relational database table)(see col. 12, lines 42-47), as claimed said method comprises the steps of retrieving from the dump file data contained in selected partitions of a first relational database table (thus, for data retrieval a non unique global index is used primarily for target partition selection, the local results obtained from these target partitions are then merged to form the actual result; which is readable as retrieving from the dump file data contained in selected partitions of a first relational database table)(see col. 11, lines 55-58), wherein the selected partitions are a subset of a total number of partitions of the first relational database table (thus, a table managed by a relational database management system may be horizontally partitioned such

Art Unit: 2172

that each record of the object is stored in one of the many partitions of the object, each partition of the object is typically associated with a group of physically storage that is disjoint from those of the other partitions; which is readable as wherein the selected partitions are a subset of a total number of partitions of the first relational database table)(see col. 7, lines 12-19); and

importing the data contained in selected partitions into corresponding partitions of a second relational database table (thus, the selection predicates that were applied to the global indexes must be rechecked later, i.e., when the records retrieved from the fast path must be recertified using the original search predicates, like other database objects, the coarse global index table can itself be partitioned if necessary; which is readable as importing the data contained in selected partitions into corresponding partitions of a second relational database table)(see col. 9, lines 20-25), wherein the corresponding partitions are a subset of a total number of partitions of the second relational database table (thus, method involves creating a local index table for each partition of the database and creating a coarse global index table containing one unique global index entry for each distinct local index key value in each local index table, the local index table contains one local index entry for each object of interest in the corresponding partition of the table, each local index entry consists of an object identifier such as a record pointer; which is readable as wherein the corresponding partitions are a subset of a total number of partitions of the second relational database table)(see col. 8, lines 44-52).

As per claims 44 and 52, Choy teaches a method as claimed, wherein the subset of the total number of partitions is exactly one (thus, one or more partitions of a table may be stored in a single site, which is readable as wherein the subset of the total number of partitions is exactly one)(see col. 2, lines 5-6).

As per claims 45 and 53, Choy teaches a computer readable medium bearing instructions arranged, upon execution, as claimed the steps to cause one or more processors to perform (thus, the motivations for horizontally partitioning a database object are to partition data among multiple nodes or processors within a single database management system so as to facilitate parallel processing of a database management system query, which is equivalent to one or more processors to perform)(see col. 7, lines 21-24).

As per claim 46, Choy teaches a method of exporting data from a database object into a dump file (thus, each partition may be packaged as a separate data module that contains its own access methods, such a self-contained data module may be used as a transportable database unit; similarly to the description provided by the specification on page 1, lines 9-13)(see col. 12, lines 42-47), as claimed said method comprises the steps of said subdivided the database object into number of partitions (thus, a table managed by a relational database management system may be horizontally partitioned such that each record of the object is stored in one of the many partitions of the object; which is equivalent to subdivided the database object into number of partitions)(see col. 7, lines 12-15);

selecting a fewer number of partitions than the number of partitions (thus, the selection predicates that were applied to the global indexes must be rechecked later, when the records retrieved from the fast path must be re-certified using the original search predicates, like other database objects the coarse global index table can itself be partitioned if necessary; which is readable as a fewer number of partitions than the number of partitions)(see col. 9, lines 20-25). Further, in column 11, lines 24-29, Coy teaches if there is a selection predicate on the partition key that can be evaluated into the partition identifiers then evaluate that predicate, if there is an

Art Unit: 2172

applicable and selective coarse global index available, then obtain the qualified partition identifiers from that coarse global index, sort the partition identifiers, remove the duplicates and merge with the partition identifiers based on partition key, if they exist; and

for each of the selected partitions, storing in the dump file data contained in said each of the selected partitions (thus, each partition may be packaged as a separate data module that contains its own access methods, such a self-contained data module may be used as a transportable database unit, for instance on a massively distributed database system; similarly to the description provided by the specification on page 1, lines 9-13)(see col. 12, lines 43-47), wherein data contained in a partition that is not selected is not stored in the dump file (thus, if the partition identifier list becomes too long, i.e., it is no longer selective, the database management system may stop using the global index and release S-Locks if any are held and proceed to broadcast the query instead, if the query is not partition selective, then let the partition identifier be logically the list of all partitions, send the query to each identified partition for evaluation; which is readable as wherein data contained in a partition that is not selected is not stored in the dump file)(see col. 11, lines 32-35).

As per claims 47 and 51, Choy teaches a method as claimed, wherein the database object includes one of a relational database table, a database data container, and object oriented database object class, (see col. 7, lines 10-20).

As per claim 49, the limitations of claim 49 are rejected in the analysis of claim 45, and this claim is rejected on that basis.

As per claim 50, Choy teaches a method of importing data from a dump file into a database object (thus, each partition may be packaged as a separate data module that contains its

Art Unit: 2172

own access methods, such a self-contained data module may be used as a transportable database unit; similarly to the description provided by the specification on page 1, lines 9-13)(see col. 12, lines 42-47), as claimed said method comprises the steps of retrieving from the dump file data contained in selected partitions of a first database object (thus, for data retrieval a non unique global index is used primarily for target partition selection, the local results obtained from these target partitions are then merged to form the actual result; which is readable as retrieving from the dump file data contained in selected partitions of a first database object)(see col. 11, lines 55-58), wherein the selected partitions are a subset of a total number of partitions of the first database object (thus, a table managed by a relational database management system may be horizontally partitioned such that each record of the object is stored in one of the many partitions of the object, each partition of the object is typically associated with a group of physically storage that is disjoint from those of the other partitions; which is readable as wherein the selected partitions are a subset of a total number of partitions of the first database object)(see col. 7, lines 12-19); and

importing the data contained in selected partitions into corresponding partitions of a second database object (thus, the selection predicates that were applied to the global indexes must be rechecked later, when the records retrieved from the fast path must be recertified using the original search predicates, like other database objects the coarse global index table can itself be partitioned if necessary; which is readable as importing the data contained in selected partitions into corresponding partitions of a second database object)(see col. 9, lines 20-25), wherein the corresponding partitions are a subset of a total number of partitions of the second database object (thus, method involves creating a local index table for each partition of the

Art Unit: 2172

database and creating a coarse global index table containing one unique global index entry for each distinct local index key value in each local index table, the local index table contains one local index entry for each object of interest in the corresponding partition of the table, each local index entry consists of an object identifier such as a record pointer; which is readable as wherein the corresponding partitions are a subset of a total number of partitions of the second database object)(see col. 8, lines 44-52).

As per claims 54, 56, 57 and 59, Choy teaches a method as claimed, wherein the dump file includes statements in a data description language (DDL) describing how to recreate the data contained in said each of the selected partitions of the table, (see col. 8, lines 8-19).

As per claims 55 and 58, Choy teaches a method as claimed, wherein the storing includes exporting the data contained in each of the selected partitions of the table into the dump file, (see col. 12, lines 43-46).

4. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Art Unit: 2172

Contact Information

5. Any inquiry concerning this communication from examiner should be directed to Jean Bolte Fleurantin at (703) 308-6718. The examiner can normally be reached on Monday through Friday from 7:30 A.M. to 6:00 P.M.

If any attempt to reach the examiner by telephone is unsuccessful, the examiner's supervisor, Mrs. KIM VU can be reached at (703) 305-8449. The FAX phone numbers for the Group 2100 Customer Service Center are: ***After Final (703) 746-7238, Official (703) 746-7239, and Non-Official (703) 746-7240.*** NOTE: Documents transmitted by facsimile will be entered as official documents on the file wrapper unless clearly marked "***DRAFT***".


Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Group 2100 Customer Service Center receptionist whose telephone numbers are (703) 306-5631, (703) 306-5632, (703) 306-5633.



Jean Bolte Fleurantin

August 21, 2003

JBf/



KIM VU
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2100